



# 트랙터용 타이어 규격 교환표

일반규격	85씨리즈 규격	70씨리즈 광폭 규격
		• 240/70R16
		• 260/70R16
		• 280/70R16
		280/70R18
8.3R20		280/70R20
9.5R20	240/85R20	• 300/70R20
• 11.2R20	• 280/85R20	• 320/70R20
12.4R20	320/85R20	360/70R20
13.6R20		380/70R20
8.3R24	220/85R24	
• 9.5R24	240/85R24	
• 11.2R24	• 280/85R24	• 320/70R24
• 12.4R24	• 320/85R24	• 360/70R24
• 13.6R24	340/85R24	• 380/70R24
• 14.9R24	380/85R24	• 420/70R24
• 16.9R24	420/85R24	• 480/70R24
• 14.9R26		
• 16.9R26	420/85R26	480/70R26
• 18.4R26	460/85R26	520/70R26
23.1R26		
• 9.5R28		
• 11.2R28	280/85R28	320/70R28
• 12.4R28	320/85R28	• 360/70R28
• 13.6R28	• 340/85R28	• 380/70R28
• 14.9R28	380/85R28	• 420/70R28
• 16.9R28	• 420/85R28	• 480/70R28
• 14.9R30	• 380/85R30	420/70R30
• 16.9R30	420/85R30	• 480/70R30
• 18.4R30	• 460/85R30	520/70R30
• 12.4R32	320/85R32	
14.9R34	380/85R34	
• 16.9R34	420/85R34	• 480/70R34
• 18.4R34	460/85R34	• 520/70R34
• 12.4R36	320/85R36	
• 13.6R36	340/85R36	
• 13.6R38	• 340/85R38	
• 14.9R38	380/85R38	
• 15.5R38		
• 16.9R38	• 420/85R38	• 480/70R38
• 18.4R38	460/85R38	• 520/70R38
• 20.8R38	520/85R38	580/70R38

• 공급 가능 규격



트랙터용 타이어

356 R-1

★ 래디알 타이어



9.5R 24	13.6R 28	14.9R 38
11.2R 24	14.9R 28	15.5R 38
12.4R 24	16.9R 28	16.9R 38
13.6R 24	14.9R 30	18.4R 38
14.9R 24	16.9R 30	20.8R 38
16.9R 24	18.4R 30	18.4R 42
14.9R 26	12.4R 32	20.8R 42
16.9R 26	16.9R 34	14.9R 46
18.4R 26	18.4R 34	18.4R 46
9.5R 28	12.4R 36	
11.2R 28	13.6R 36	
12.4R 28	13.6R 38	

370 R-1W

★ 광폭래디알



240/70R 16	19.5 LR 28
260/70R 16	360/70R 28
280/70R 16	380/70R 28
280/70R 18	420/70R 28
260/70R 20	480/70R 28
280/70R 20	19.5 LR 30
300/70R 20	480/70R 30
320/70R 20	480/70R 34
320/70R 24	520/70R 34
360/70R 24	480/70R 38
380/70R 24	520/70R 38
420/70R 24	580/70R 38
480/70R 24	

365 R-1W

★ 광폭래디알



260/65R 16
280/65R 16
340/65R 20
440/65R 24
480/65R 28
540/65R 28
540/65R 34
600/65R 34
600/65R 38
650/65R 38

385 R-1W

★ 래디알 타이어



280/85R 20
320/85R 24
340/85R 24
380/85R 24
380/85R 28
420/85R 30
380/85R 34
420/85R 34
460/85R 34
420/85R 38
460/85R 38
520/85R 38
650/85R 38

324



9.5-20	9.5 -32
8.3-24	12.4 -32
9.5-24	16.9 -34
11.2-24	18.4 -34
12.4-24	9.5 -36
18.4-26	12.4 -36
8.3-28	11.2 -38
11.2-28	270/95 -38
12.4-28	
13.6-28	
14.9-28	
16.9-28	
14.9-30	
16.9-30	
18.4-30	

트랙터용 래디알 타이어의 장점

- ❖ 연료 절감
- ❖ 작업 능률 향상
- ❖ 타이어 수명 연장
- ❖ 지면 흙 눌림 감소
- ❖ 타이어 교체 주기 장기화
- ❖ 이동시 승차감 향상



베일러용 타이어

328




- 400/60 -15.5
- 400/55 -17.5
- 400/55 -22.5
- 500/45 -22.5
- 500/60 -22.5
- 550/60 -22.5
- 560/60 -22.5
- 550/45 -22.5
- 600/55 -22.5
- 600/50 -22.5
- 700/40 -22.5
- 600/55 -26.5
- 700/50 -26.5
- 750/60 -30.5

331




- 42×25.00 -20
- 44×18.00 -20
- 48×25.00 -20
- 48×31.00 -20
- 500/50 -20
- 500/45 -20
- 500/60 -22.5
- 550/45 -22.5
- 550/60 -22.5
- 560/60 -22.5
- 600/50 -22.5
- 600/55 -22.5
- 600/40 -22.5
- 700/40 -22.5
- 700/50 -22.5

317




- 10.0/75-15.3
- 11.5/80-15.3
- 10.5/18
- 12.0-18
- 12.5-18
- 10.5/80-18
- 12.0/75-18
- 12.5/80-18
- 10.5-20
- 12.5-20
- 14.5-20
- 16.0/70-20
- 405/70-20

320



- 10.0/75-15.3
- 11.5/80-15.3
- 12.5 -15.3
- 500/55 -15.5
- 13.0/75-16
- 14.0/65-16
- 520/50 -17
- 500/50 -17
- 10.5/80-18
- 12.5/80-18
- 13.0/65-18
- 15.0/70-18
- 14.5/75-20
- 16.0/70-20

222



- 11L -15
- 16.5L -16.1SL
- 15.0/55 -17
- 17.0 -17
- 19.0/45 -17
- 20.00 -20
- 21/80 -20
- 550/60 -22.5
- 600/55 -22.5

306 SUPER TRACTION




- 13.00-24 TG
- 14.00-24 TG
- 16.00-24 TG
- 17.5-25
- 20.5-25
- 10-16.5 NHS
- 12-16.5 NHS
- 14-17.5



**잔디관리 및 목초지용 타이어**

**330**




- 12.4-16
- 8.3-24
- 9.5-24
- 11.2-24
- 14.9-24
- 16.9-24
- 18.4-26
- 23.1-26
- 12.4-28
- 13.6-28
- 16.9-28
- 16.9-30
- 18.4-30

**221**



- 31 × 15.50-15
- 450/55-17

**856**



- 3.50-5
- 13 × 5.00-6
- 13 × 6.50-6
- 15 × 6.00-6
- 18 × 8.50-8
- 18 × 8.50-8
- 18 × 9.50-8
- 23 × 10.50-12
- 27 × 8.50-15
- 29 × 14.00-15



**기타 특수 규격 !!**

국내에서 생산되지 않는 타이어들을 수입해서 공급하고 있습니다. 고객님의 원하시는 용도와 싸이즈를 말씀해 주십시오....



국내에서 생산되지 않는 각종장비 림 제작을 하여 공급하고 있습니다.

